# Filtering Sources of Unwanted Traffic Based on Blacklists

Fabio Soldo, Karim El Defrawy, Athina Markopoulou University of California, Irvine

Bala Krishnamurthy, Kobus van der Merwe AT&T Research

Abstract—There is a large and increasing amount of unwanted traffic on the Internet today, including phishing, spam, and distributed denial-of-service attacks. One way to deal with this problem is to filter unwanted traffic at the routers based on source IP addresses. Because of the limited number of available filters in the routers today, aggregation is used in practice: a single filter describes and blocks an entire range of IP addresses. This results in blocking of all (unwanted and wanted) traffic generated from hosts with IP addresses in that range. In this paper, we develop a family of algorithms that, given a blacklist containing the source IP addresses of unwanted traffic and a constraint on the number of filters, they construct a set of filtering rules that optimize the tradeoff between the unwanted and legitimate traffic that is blocked. We show that our algorithms are optimal and also computationally efficient. Furthermore, we demonstrate that they are particularly beneficial when applied to realistic distributions of sources of unwanted traffic, which are known to exhibit spatial and temporal clustering.

#### I. INTRODUCTION

It is well known that there is a large and increasing amount of unwanted traffic on the Internet today, including flooding and other denial-of-service attacks, scanning, phishing, etc. The sources of unwanted traffic are typically hosts infected with malicious code or misconfigured. One mechanism that is used today to prevent unwanted traffic from reaching the victims, is to use access control lists (ACLs) at the routers to block packets that are considered unwanted. ACLs are rules that can classify packets according to a combination of fields in the IP header. In this paper, we are interested in filtering based on the source IP addresses of unwanted traffic [1]-[3]. We assume that these sources are known and given to us as a (black)list. Several such blacklists are constructed today from firewall and intrusion detection system logs, made publicly available [4] or offered as a service [5], [6]. ISPs [3] and organizations also maintain their own private blacklists based on historical data relevant to their own networks. Such systems that distinguish between the unwanted and legitimate traffic are necessary to construct blacklists but are considered out of the scope of this paper. The input to the problem we study here is a blacklist, i.e. a list of sources of unwanted traffic, that is considered given and accurate.

Once a blacklist is given, filtering can be used as a first, coarse but cheap, step of defense [1], [3]. Filtering based on a blacklist involves constructing a set of ACL rules to

block unwanted traffic so as to meet certain criteria. A router would ideally block each source in a blacklist with a single ACL rule. Unfortunately, the number of ACLs today is orders of magnitude smaller than the number of attackers. A practical approach used instead is to block ranges (typically prefixes) of addresses. This aggregation has the advantage that it reduces the number of filters and the disadvantage that it also blocks traffic originating from legitimate IP addresses in the blocked range. For a given number of filters, the main tradeoff involved in filtering is between the number of sources of unwanted traffic successfully blocked and the legitimate traffic accidentally blocked. Clearly, there are several parameters that affect the effectiveness of filtering, including the number of filters available compared to the number of attackers, and the distribution of attack sources in the IP address space.

The spatial and temporal behavior of sources of unwanted traffic have been studied recently by several measurement papers [7]–[9]. These papers found that the sources of unwanted traffic (or "Internet background radiation" as it was called in [7]) exhibit clustering in the IP address space, meaning that most sources of unwanted traffic are concentrated in a few ranges. This has also been consistent with our experience from studying various blacklists of unwanted traffic [4], [5].

Motivated by this observation, we construct compact rules that block entire ranges of source IP addresses. In particular, we develop two algorithms that take as input a blacklist of IP addresses and select ranges to block. Algorithm FILTER-ALL-STATIC blocks all blacklisted sources so as to minimize the collateral damage. Algorithm FILTER-SOME-STATIC blocks some of the sources, trading-off a decrease in the number of blacklisted IP addresses filtered for a decrease in collateral damage. Our algorithms are optimal with respect to the above criteria and also computationally efficient. We also extend these algorithms, to FILTER-ALL-DYNAMIC and FILTER-SOME-DYNAMIC respectively, so as to deal with time-varying blacklists, i.e. instances of a blacklist at different times. The algorithms bring significant benefit when applied to blacklists with inherent clustering of addresses, as it is the case in practice [7]-[9]; we demonstrate that through simulation using realistic models for the spatial distribution of addresses in a blacklist [10].

This paper builds on our previous work [11], where we looked at a related problem: how to filter attack sources

at the granularity of individual hosts or gateway tiers, so as to minimize the amount of legitimate traffic dropped subject to constraints in the number of filters and the victim's access bandwidth. The main difference in this paper is that we exploit the ordering of addresses in the one-dimensional IP address space and we group attackers in ranges of consecutive addresses. This structure allows to develop greedy optimal algorithms, which is not possible if arbitrary grouping of attackers is allowed. Furthermore, filtering based on the IP source address is more in line with the practice of filtering using ACLs and prefix-based filtering.

The rest of the paper is structured as follows. Section II gives the rationale behind the filtering problems studied here, an overview of the algorithms, and introduces the notation. Section III presents the four algorithms and proves their optimality. Section IV applies the algorithms to realistic models of input blacklists that exhibit different degrees of clustering and density, and discusses the tradeoffs involved. Section V concludes the paper.

#### II. PROBLEM FORMULATION

#### A. Definitions and Notation

Let us first define the notation, used throughout the paper, also summarized in Table I.

Source IP addresses. Every IP address A is a 32-bits sequence and therefore can be thought as an integer number in the range  $[0, 2^{32}-1]$ . Let us consider a range of consecutive IP addresses in that range  $\{A_1, A_2, \ldots, A_m\}$ , in increasing order  $A_i < A_{i+1}$ .  $[A_i, A_j]$  denotes the set of consecutive addresses from  $A_i$  to  $A_j$  (included).

Blacklists. The input to our algorithms is a blacklist. A blacklist (BL) is simply a list of N unique source addresses that are known to be sources of unwanted traffic. An address is considered "bad" if it appears in a blacklist or "good" otherwise. The process that distinguishes good from bad traffic is necessary to construct a reliable blacklist but is out of the scope of this paper. In this paper, blacklists are considered known and accurate. We indicate with  $B = \{b_1, \dots, b_N\} \subset \{1, \dots, m\}$  the set of *indices* used to denote bad addresses, i.e.  $A_{b_i}, \forall i \in$  $\{1, 2, \dots, N\}$  denote a single address reported in the blacklist. Similarly,  $G = \{g_1, \dots, g_{m-N}\} \subset \{1, \dots, m\}$ is the set of indices used to denote good addresses. If we have several instances of the blacklist at different times, we use the notations  $BL_{t_i}$  and  $N_{t_i}$ , to indicate the blacklist, and the number of bad addresses at time  $t_i$  respectively.

Filters. A filter, in this paper, is a rule that specifies that all addresses in the range  $[A_i,A_j]$  should be blocked. We use the terms address range/cluster/filter interchangeably.  $F_{max}$  denotes the maximum number of filters that can be deployed.  $f \leq F_{max}$  denotes the number of filters actually used.

Address Weight. In the basic version of the problem, an address is either bad or good, depending on whether it appears or not in a blacklist respectively. In other versions of the problem, we may also want to assign a weight  $w_i$ 

BL	Blacklist: a list of "bad" addresses
N	Number of unique addresses in $BL$
$BL_{t_i}$	Instance of the blacklist at time $t_i$
$N_{t_i}$	Number of addresses in $BL_{t_i}$
$B = \{b_1, \dots, b_{N_{t_i}}\}$	set of indices used for bad addresses
$G = \{g_1, \dots, g_{m-N_{t_i}}\}$	set of indices used for good addresses
$\tilde{C}_{l,r}$	Collateral Damage from filter $[A_l, A_r]$
(or simply $C_{l,r}$ )	(when $A_l, A_r$ are both bad)
f	Number of filters used
$F_{max}$	Maximum number of available filters
$w_i$	weight assigned to address $A_i$
$R_{l,r} \in \{0,1\}$	variable indicating if filter $[A_l, A_r]$ is used

TABLE I NOTATION

to address  $A_i$ . This weight can capture the amount of good/bad traffic originating from the IP address space that is filtered out; or it can express probability/certainty about the "goodness"/"badness" of the address, e.g. based on historical data; or it can express policy for treating various addresses, e.g. to ensure that an important customer is never blocked. More details on the assignment of  $w_i$  will be provided later in the discussion of the FILTER-SOME-\* algorithms.

Collateral Damage. We use  $\tilde{C}_{l,r}$  to denote the collateral damages caused by the filter  $[A_l,A_r]$ . In this paper, we use this term as a measure of the number of legitimate hosts/source IP addresses that are blocked by a filter. If the filter  $[A_l,A_r]$  is not used, or it does not encompass any good address,  $\tilde{C}_{l,r}=0$ ; otherwise,  $\tilde{C}_{l,r}>0$ . In general, each of the addresses  $A_l$  and  $A_r$  can be good or bad. When both  $A_l$  and  $A_r$  are bad addresses, (as it will turn out to be in the optimal solution), we use  $C_{l,r}$ , to indicate the collateral damage caused by the filter  $[A_l,A_r]$ .

The obvious choice for  $\tilde{C}_{l,r}$  is simply the total number of good addresses included between  $A_l$  and  $A_r$ ,

$$\tilde{C}_{l,r} = \sum_{l \le i \le r} \mathbb{I}_G(i) \tag{1}$$

where,  $\mathbb{I}_B$  is the indicator function of G. However, when weights are assigned to addresses, the collateral damage is:

$$\tilde{C}_{l,r} = \sum_{l \le i \le r} w_i \mathbb{I}_G(i) \tag{2}$$

If  $w_i = 1$  for every "good" address and  $w_i = 0$  for every "bad" address, we have that  $\tilde{C}_{l,r}$  represents exactly the number of good addresses in the interval  $[A_l, A_r]$ .

# B. Rationale and Overview of Filtering Problems

Protecting a network from unwanted traffic is a complex problem with several different aspects [1], [3]. The first step is to distinguish good from bad sources, based e.g. on intrusion detection systems and historical data; this part is out of the scope of this paper and is considered as a pre-processing step that constructs a blacklist. The second step, which is the focus of this work, is the construction

<sup>1</sup>In contrast, in previous papers [1], [11], the term "collateral damage" referred to the volume of legitimate traffic filtered out.

of a compact set of filtering rules, so as to achieve certain goals. Goals may include a combination of the following objectives: filter all (or most) bad addresses; cause low or no collateral damage to legitimate traffic; stay within the budget in the number of filters; apply a policy to favor/punish specific addresses.

In this work, we formulated a family of filtering problems, each targeted to a different goal, and we develop optimal greedy (thus computational efficient) algorithms that achieve these goals. We expect these algorithms to be used as building blocks in a larger filtering-based defense system.

Below we summarize the rationale behind each considered filtering problem and their relation to each other.

 $P_0$  FILTER-ALL-STATIC: Given a blacklist and a num-

- ber of filters F, filter out all bad addresses, so as to minimize the collateral damage.

  Rationale: Filter out all bad addresses in a blacklist is the natural first step. The blacklist is constructed by a pre-processing step, that has identified and confirmed a consistent malicious behavior of the
  - confirmed a consistent malicious behavior of the addresses that must be filtered out. This problem is interesting only if F < N, otherwise we could filter out each individual address with a single filter. We develop a greedy optimal algorithm that solves this problem.
- $P_1$  FILTER-SOME-STATIC: Given a blacklist and a number of filters F, filter out some bad addresses, so as to optimize the tradeoff between collateral damage (false positives) and unfiltered bad addresses (false negatives).
  - Rationale: The requirement of  $P_0$  to filter out all the source IPs is too strict and may lead to large collateral damage if bad addresses are too spread apart in the address space.  $P_1$  differs from  $P_0$  in that it tolerates leaving some bad sources unfiltered in exchange for a reduction in collateral damage. Instead, it tries to find and block only those subsets of bad addresses that have the highest negative impact on the network performance. We develop a greedy optimal algorithm thatssolves this problem. In the formulation, we provide a knob (namely, the weight  $w_i$  assigned to an address i) that allows the administrator to express how much she values each address and thus control the tradeoff achieved by the optimal algorithm.
- $P_2$  FILTER-ALL-DYNAMIC: Given a set of blacklists  $BL = \{BL_{t_0}, BL_{t_1}, \cdots \}$ , and number of filters, F, find a set of filter rules  $\{S_{t_0}, S_{t_1}, \cdots \}$ , such that  $S_{t_i}$  solves problem  $P_0$  when the input list is  $BL_{t_i}$ . Rationale: In practice, ISPs and organizations continuously collect data and update their blacklists over time.  $P_2$  is a filtering problem that updates the filtering rules, according to a time-varying blacklist. Similarly to  $P_0$ , the goal is to filter out all bad addresses at all times, at minimum collateral damage. The trivial solution to this problem is to iteratively solve  $P_0$  for every instance of the black-

- list. However, the temporal correlation in successive blacklists [8] can be exploited to design efficient greedy algorithms, similar to P0.
- $P_3$  FILTER-ALL-DYNAMIC: Given a set of blacklists  $BL = \{BL_{t_0}, BL_{t_1}, \cdots \}$ , and number of filters, F, find a set of filter rules  $\{S_{t_0}, S_{t_1}, \cdots \}$ , such that  $S_{t_i}$  solves problem  $P_1$  when the input list is  $BL_{t_i}$ . Rationale:  $P_3$  is the version of  $P_1$  that deals with a time-varying blacklist: it adapts the filtering rules, according to a time-varying blacklist so as to filter some, but not all, bad addresses.

For each of the above problems, we develop a greedy optimal algorithm.

#### III. FILTERING PROBLEMS AND ALGORITHMS

In this section, we give the detailed formulation of each problem and the optimal algorithm that solves it.

#### A. FILTER-ALL-STATIC

Problem  $P_0$ : Given a blacklist,  $BL = \{A_{b_1}, A_{b_2}, ... A_{b_N}\}$ , and a number of filters  $F_{max} < N$ , find a set of filters  $[A_l, A_r]$ , l, r = 1, ...N s.t. each bad address is covered by some filter  $[A_l, A_r]$  and the total collateral damage from all filters is minimized, i.e.

$$\min \sum_{l \le r} \tilde{C}_{l,r}$$

1) Optimal Filtering - DP Formulation: Let OPT(f,n) be the optimal solution to the problem, i.e. blocking n bad addresses  $\{A_{b_1},A_{b_2},...A_{b_n}\}$ , using up to f filters, with minimum collateral damage. We can compute OPT(f,n) from the optimal solution that blocks the subset of addresses  $\{A_{b_1},A_{b_2},...A_{b_{n-1}}\}$ : either we extend the  $f^{th}$  filter from  $A_{b_{n-1}}$  to also cover  $A_{b_n}$ , thus filtering out the addresses between  $A_{b_{n-1}}$  and  $A_{b_n}$  and adding cost  $C_{A_{b_{n-1}},A_{b_n}}$ ; or we use the optimal assignment of f-1 filters to addresses  $\{A_{b_1},...A_{b_{n-1}}\}$  and assign one filter to address  $A_{b_n}^2$ . Below is the corresponding dynamic programming equation:

# Algorithm 1 FILTER-ALL-STATIC, DP Formulation

```
\begin{array}{lll} \text{1: for } f=1,...F \text{ do} \\ \text{2: } & \text{for } n=1,..N \text{ do} \\ \text{3: } & OPT(f,n) = \min\{OPT(f-1,n-1)\} \\ & & CA_{b_{n-1}}A_{b_n}, OPT(f-1,n-1)\} \\ \text{4: } & \text{end for} \\ \\ \text{5: end for} \end{array}
```

Both the running time complexity and the memory space required by DP are  $O(NF_{max})$ , corresponding to the steps required to fill up the table and compute  $OPT(F_{max}, N)$ .

<sup>&</sup>lt;sup>2</sup>These are the only two possible cases, as it can be proved by contradiction, using the same argument as in the proof of the Greedy algorithm. Due to lack of space, we don't repeat it here.

2) Optimal Filtering - LP Formulation: Below we also give an alternative formulation as a binary optimization problem. The reason is that this formulation can be extended to a similar formulation of  $P_1$ . Let  $R_{l,r} \in \{0,1\}$ be decision variable equal to 1 iff the filter  $[A_l, A_r]$  is used; 0 otherwise. Then the following program solves  $P_0$ :

$$\min \sum_{l < r} \tilde{C}_{l,r} R_{l,r} \tag{3}$$

$$\sum_{l \le r} R_{l,r} \le F_{max} \tag{4}$$

$$\sum_{l \le i \le r} R_{l,r} \ge 1 \ \forall i \in \{b_1, b_2, \dots, b_N\}$$
 (5)

$$R_{l,r} \in \{0,1\} \ \forall l,r \in \{1,2,\dots,m\}$$
 (6)

Eq.4 imposes that at most  $F_{max}$  filters should be used. Eq.5 states that for every bad address  $i \in B$  there should be at least one filter,  $R_{l,r}$ , for some l and r, blocking it. Eq.3 represents our objective function: the sum of collateral damages caused by all the deployed filters. Note that, the summation in Eq.3 is over indices l < r for symmetry;  $l \neq r$ , because when l = r the collateral damages are trivially equal to 0. Moreover, since we are looking for the minimum and all collateral damages  $C_{l,r}$ are non negative quantities, the optimal solution obtained by solving the LP program will not contain intervals that overlap on good addresses.

3) Optimal Filtering - Greedy Algorithm: The idea is to compute the "distances" (i.e. collateral damages) between adjacent bad addresses, and sort the resulting vector. Alg.2 picks the two closest addresses and covers them with a single range/filter. Then, it iteratively repeats this step until all bad addresses are filtered. An example is shown in Fig.1.

# Algorithm 2 FILTER-ALL-STATIC, Greedy Algorithm

- 1: Compute  $C_{b_i,b_{i+1}}$ , i=1,...,N-12: Sort the resulting vector C in increasing order.
- 3: Pick up the first N F components.
- 4: Add/extend a filter for each selected interval.

The rationale behind this algorithm is that we want to cover all addresses while filtering out the smallest possible number of addresses. The ordering of all addresses on a single dimension, allows for this efficient solution of the problem.

Theorem 3.1: The greedy algorithm (Alg.2) computes an optimal solution to P0 Problem.

*Proof:* Assume that we have enough filters to block all bad addresses: F = N. In this case, an optimal solution with zero collateral damage can be obtained by assigning a filter to each bad address. Now, assume we want to decrease the number of filters by 1. We insert the the filter that causes the smallest amount of collateral damage; this is a filter between the two addresses with the smallest distance, e.g.  $R_{34}$  in Fig.1 ). It is easy to see that the obtained solution is still optimal in the case of N-1 filters.




Fig. 1. Greedy algorithm for FILTER-ALL-STATIC. For f = N, one filter is assigned to each attack source. For f = N - 1, the two closest addresses (here  $A_{b_3}$  and  $A_{b_4}$ ) are merged into a single range  $(R_{34})$  and assigned a single filter. The same process continues iteratively for fewer filters.

Now, imagine that we "shrink" the newly added filter in a single point; e.g. in Fig.1  $A_{b_3}$  and  $A_{b_4}$  are merged into  $A_{b_{34}}$ . Then there is no conceptual difference between the first solution (with N filters) and the new solution (with N-1 filters). Thus, we can repeat the same procedure: to reduce again the number of filters by 1, we simply pick the 2nd smaller element in the sorted array  $\tilde{C}$  (e.g. filter  $R_{N-1,N}$  in Fig.1), and so on. By induction, the above argument proves that Alg.2 is optimal.

Complexity. In the above construction, at each step, the number of filters will decrease exactly by one. Therefore, if we start with N filters, we need to perform exactly N-F steps. The computational cost is due to sorting the vector of distances between addresses, C, which is  $O(N \log(N))$ . In practice, the values in C are not all distinct. Thus, sorting the distances can be done in even faster ways leveraging the redundancy of equal/similar values.

Since the greedy algorithm has low complexity and computes the optimal, this is the algorithm to use for problem  $P_0$ , for all practical purposes.

# B. FILTER-SOME-STATIC

Problem  $P_1$ : Given a blacklist of N bad IP addresses, a number of filters  $F_{max} < N$ , and a weight  $w_i$  associated with every source address, assign filters so as to optimize the trade-off between: (i) the total collateral damage and (ii) the total benefit associated with blocking bad addresses.

In section II-A, we introduced the weight  $w_i$  assigned to an address  $A_i$  as a measure of its "badness"/"goodness". W.l.o.g., let us assign a weight to every address according to the following convention:  $w_i \geq 0$ for every address not in the blacklist ("good" address), and  $w_i \leq 0$  otherwise ("bad" address). In the latter case, we can interpret  $w_i < 0$  as the benefit associated with blocking a single bad address  $A_i$ . Examples of  $w_i$  in the case of bad addresses include the number of reports from this IP, the amount of traffic sent, etc.  $w_i = 0$  indicates that we do not account for the specific address, whether it is good or bad.

Problem  $P_1$  can be formulated as follows:

$$\min \sum_{l \le r} \sum_{l \le i \le r} w_i R_{l,r} \tag{7}$$

$$\sum_{l \le r} R_{l,r} \le F_{max} \tag{8}$$

$$R_{l,r} + \sum_{l < j \le r} \sum_{\substack{i < j \\ (i,j) \ne (l,r)}} R_{i,j} + \sum_{l \le i < r} \sum_{\substack{i < j \\ (i,j) \ne (l,r)}} R_{i,j} \le 1$$
 (9)

$$R_{l,r} \in \{0,1\} \forall l, r \in \{1,2,\dots,N\}$$
 (10)

This is similar to the LP formulation of  $P_0$ , but with some major differences. Eq.5 has been removed, since we no longer require all IPs to be blocked. In addition, since the coefficient associated with every range,  $\sum_{l \leq i \leq r} w_i$  can be either positive or negative, the argument used in  $P_0$  to prove the non-existence of overlapping ranges in the optimal solution, does not hold anymore. For this reason, we need to explicitly introduce Eq.9 which prevents overlapping ranges. Without Eq.9 the above is exactly a knapsack 0/1 problem, with items the filters/ranges. This is a well-known NP-hard problem. In addition, Eq.9 introduces correlation between the knapsack items, since the choice of a bigger interval excludes, for instance, to jointly select any of the intervals included in it.

However, by leveraging the single dimension of the problem, we can design a greedy, thus computationally efficient, algorithm to solve  $P_1$ . The new algorithm is described in Alg.3 and it is designed along the lines of Alg.2.

Assume that we have as many filters as the number of bad addresses, F=N. The optimal solution (of negative value) will use a filter for every single bad address. If we want to use N-1 filters, the optimal solution will connect two bad addresses, if and only if there is gain in the objective function by extending an existing filter; otherwise, a bad address (with the higher value) will be left unblocked. We can state this condition by observing that there is gain in connecting two consecutive bad addresses, if and only if:

$$\exists \, i \in \{1,...N\} \, \text{s.t.} \sum_{b_i \leq j \leq b_{i+1}} w_j \mathbb{I}_G(j) \leq |\max\{w_{b_i}, w_{b_{i+1}}\}|$$

If such an index i does not exist,  $P_1$  will simply block (N-1) IP addresses, and leave the address with the higher weight unblocked.

More formally, let us denote with Ranges the set of filter rules constructed, and with D the set of distances (collateral damages) between consecutive filters. Starting from an optimal solution with  $F_{max} = N$ , Alg.3 iteratively decreases the number of used filters, while preserving the optimality of the solution, until a feasible solution is reached (i.e.  $f \leq F_{max}$ ).

Lines 6-7 check for the maximum and the minimum of the lists Ranges, and D, respectively. At every step of the while loop (Line 5), a greedy decision is taken: a single filter is removed, or two different filters are

# Algorithm 3 FILTER-SOME-STATIC, Greedy Algorithm

```
1: Ranges = \{R_{j,j} : j \in B\}
  1. Ranges = \{x_{j,j} : j \in B\}

2. D = \{C_{j,j+1} : j \in B\}

3. f = N

4. Z = \sum_{j \in B} w_j

5. while f > F_{max} do
                 w = \max Ranges
                \quad \text{if } |w| < I \text{ then} \\
                       Z = Z - w
Let (\bar{i}, \bar{j}) be such that: w = R_{\bar{i}, \bar{j}}
                       Let (i,j) be such that w = R_{i,j}

Ranges = Ranges \setminus \{R_{\bar{i},\bar{j}}\}

D = D \setminus \{C_{l,\bar{i}}, C_{\bar{j},r}\}, where l,r \in B

D = D \cup \{C_{l,r}\}, C_{l,r} = C_{l,\bar{i}} + C_{\bar{j},r} + w
 10:
 11:
 12:
 13:
 14:
                       Let (\bar{i}, \bar{j}) be such that: I = C_{\bar{i}, \bar{j}} D = D \setminus \{C_{\bar{i}, \bar{j}}\}
 15:
                        Ranges = Ranges \setminus \{R_{l,\bar{i}}, R_{\bar{j},r}\}, \text{ where } l, r \in B
 16:
                        Ranges = Ranges \cup \{R_{l,r}\}, R_{l,r} = R_{l,\bar{i}} + R_{\bar{j},r} + I
 17:
 18:
 19:
                f = f - 1
20: end while
```

merged together, depending on which results in the lowest increase in the objective function. Specifically: if |w| < I, the filter  $R_{\bar{i},\bar{j}}$  corresponding to the value w, i.e.  $R_{\bar{i},\bar{j}} = w$ , is removed from the list of filters (Line 10), and the list of distances between different filters, D, is updated (Lines 11-12). Otherwise, the smallest distance, I, is selected, and the two adjacent filters are merged in a single filters which encompass I (Lines 15-17). In both cases, the number of used filters, f, is decreased by exactly one.

Finally, we observe that, the objective function, defined in Eq.7, can be split into two contributions

$$\min \sum_{l \le r} \left( \sum_{l \le i \le r,} w_i \mathbb{I}_G(i) + \sum_{l \le i \le r} w_i \mathbb{I}_B(i) \right) R_{l,r} \quad (11)$$

thus allowing for an intuitive cost/benefit analysis. For every address range, the first term represents the cost of introducing that filter, which in our case is the collateral damage, i.e. the (weighted) sum over all good addresses that are accidentally blocked. The second term represents the benefit from imposing filter  $R_{l,r}$ ; this term depends on the number of bad addresses blocked by the filter and on the weight assigned to each of them. The tuning of  $w_i$  allows the network provider to control the outcome of the algorithm, as it will be discussed later.

Theorem 3.2: Alg.3 computes an optimal solution to  $P_1$ .

*Proof:* In each iteration of the while cycle, the number of filters, f, is decreased by one; in fact, unless the number of iterations is greater than N-1, both w and I are well defined. However, after N-F iterations a feasible solution for P1 is reached. This prove that Alg.3 provides a solution P1.

We now prove, by reverse induction, that for every  $F_{max} \geq 0$ , the above algorithm produces an optimal solution to  $P_1$ . When  $F_{max} = N$ ,  $Z = \sum_{j \in B} w_j$  represents an optimal solution for  $P_1$ , which blocks all the bad IPs, without collateral damage; clearly, there is no better solution. To prove the inductive step, we first




Fig. 2. [Part of the proof of optimality of P1.] Z is the optimal solution using f filters. Let Z be an optimal solution for f-1 filters, different than the solution constructed inductively from Z (i.e. merging two filters or releasing a single filter). This leads to a contradiction.

observe that given two optimal solutions of  $P_1$ ,  $S_n^{OPT}$ , and,  $S_m^{OPT}$ , with n and m, filters respectively, if m < n, then we also have  $S_n^{OPT} \leq S_m^{OPT}$ . By contradiction, assume  $S_n^{OPT} < S_m^{OPT}$ ; having at most n > m filters we can use m of them to reproduce the same solution obtained with m filters,  $S_m^{OPT}$ . Moreover, since n < N, the remaining n-m filters can be used to cover n-m bad IPs, each of them with weight,  $w_j \leq 0, \forall j \in B$ . Thus, we have constructed a solution with n filters  $S_n$  such that:  $S_n \leq S_m^{OPT}$ . Recalling that,  $S_n^{OPT} \leq S_n$ , we conclude that  $S_n^{OPT} \leq S_m^{OPT}$ . This implies that when searching for the optimal solution with  $f \leq F_{max}$  filters, we can assume that we are using exactly  $f = F_{max}$  filters.

Now, assume that the above algorithm produces an optimal solution, Z, with f=n, where n=1,2,...,N. This implies that an optimal solution,  $Z^*$ , can be constructed at the next step f=n-1. In order to reduce the number of filters from n to n-1 we are given exactly two options: (i) release a filter or (ii) merge two neighboring filters. Among these two options, Alg.3 chooses the one that leads to the smallest increment in the objective function, thus guaranteeing the optimality of the solution.

A different option that partially extends/releases a filter (without neither merging two different filters, nor completely releasing an existing filter) does not decrement f. Assume that there exists an optimal solution with n-1 filters, that is constructed with a completely new reallocation of filters with respect to Z. Let us denote this solution with  $\tilde{Z}$ . We show that  $\tilde{Z}$  cannot be an improved solution, i.e.  $\tilde{Z} \geq Z$ . By the definition of  $\tilde{Z}$ , there is at least one filter,  $R_{\tilde{z}}$ , which does not coincide neither with a single range in Z, nor with the possible result of a merging operation of two ranges in Z, Fig.2. Then, if  $R_{\tilde{z}}$ covers a portion of the address space that are not covered in Z, it is possible to construct a new solution  $\tilde{Z}'$  by shortening  $R_{\tilde{Z}}$ . In fact all ranges between bad IPs which are not covered in Z, and that do not cause the merge of two different ranges, give a non-negative contribution to Z. This is easily seen by contradiction: if it was not true (i.e. they give a negative contribution to Z), then we could add it to Z and thus obtain a new solution Z' which uses the same number of filters as Z, but such that Z' < Z, which violate our assumption on the optimality of Z. With the same argument we can prove that if  $R_{\tilde{Z}}$  covers only a portion of the address space covered by in Z, then we can extend  $R_{\tilde{Z}}$  and thus obtain a new solution  $\tilde{Z}'$ , such that,  $\tilde{Z}' \leq \tilde{Z}$ . Iterating these steps, we obtain a new solution  $\tilde{Z}'$  which is or strictly lower than  $\tilde{Z}$ , or is exactly the same solution we can be obtain from Z releasing a filter, or merging two of them.

1) Complexity: Given a pre-processing step in which Ranges, and D are sorted, Lines 6-7, can be performed in O(1) time. Under this assumption, Lines 11-17 perform insertion and removal operations from sorted lists and, each of them can be performed in  $O(\log N)$ . The while loop is executed  $N-F_{max}$  times. Thus the complexity of Lines 5-20 is  $O((N-F)\log N)$ , and the overall running time complexity of Alg.3 is bounded by the minimum between this cost and the sorting cost of the input vectors, (e.g.  $O(N\log N)$  using standard techniques.

2) How to select the  $w_i$ 's?: The framework we introduced provides the network provider with the flexibility to control the output of the optimal solution, and therefore to allocate filtering resources according to her needs and preferences. The main knob to configure is the weight  $w_i$  assigned to each address  $A_i$  that can be used to express preference per individual address. For example, the weights  $w_i$  can be tuned to assigned different access "privileges" to different users (e.g. higher positive weights to "trusted" or "preferred" customers); and conversely they can also be used to make sure to block IPs that are responsible for the highest number of malicious activities (by assigning smaller negative weights to those IPs).

Below are some options and guidelines for possible assignments of  $w_i$  based on Eq.11:

- In general,  $w_i \geq 0$  should be assigned to good addresses,  $w_i \leq 0$  should be assigned to bad addresses. For extreme flexibility/granularity, one could assign  $w_i$  to each individual address or blocks of addresses. In fact, what matters is the ratio of weights between good and bad addresses and not the absolute values. E.g. one could assign  $w_i = 1$  to all good addresses and  $w_i = W < 0$  to all bad addresses to express their relative importance.
- One simple case is:  $w_i = 1$  for all good addresses and  $w_i = 0$  for all bad addresses. The objective is then to minimize the collateral damage  $\sum w_i$  and problem  $P_1$  degenerates to  $P_0$ .
- One could assign  $w_i = 0$  to show indifference to the treatment of those addresses.
- Other possible assignments of the weights can be driven by: historical data/reputation systems (e.g. assign lower negative weight to IPs with worst reputation, or that showed up repetitively in the past instances of the blacklist); by a policy of the network operator (e.g. protect important customers from being accidentally blocked: the higher positive weight to those addresses the higher the probability that they will not be blocked); by the volume of good/bad traffic exchanged and/or by the severity of attacks launched.

3) Comparison between  $P_1$  and a  $P_0$ -based heuristic: Given a blacklist,  $P_0$  aims at filtering out all bad addresses in it at the minimum possible collateral damage. In contrast,  $P_1$  blocks only some addresses trying to find a trade-off between the bad traffic left unfiltered and the collateral damage inevitably when F < N. An alternative to  $P_1$  for trading-off good vs. bad addresses could be to first select a specific subset of IPs in the blacklist (e.g. the subset of heavy hitters) and then run  $P_0$  on this specific subset. In the following we provide some simple bounds to this technique.

Given any subset of the blacklist,  $S \subset BL$ , the solution of  $P_1$  given the whole blacklist,  $Z_{P1}(BL)$ , is less or equal to the solution of  $P_0$  given S as an input list,  $Z_{P0}(S)$ ,  $\forall S$ . We now prove that it exists a subset of BL such that also the reverse relation holds true, that is,  $\exists S^* \subset BL \, s.t. \, Z_{P0}(S^*) \leq Z_{P1}(BL)$ . Obviously this relation does not hold  $\forall S \subset BL$ ; however, we can construct  $S^*$  by first running  $P_1$  on BL. Let us denote the set of filters constructed by  $P_1$  as  $\bar{S}$ . By Theorem 3.1, running  $P_0$  on  $\bar{S}$  gives a solution that minimizes collateral damages while filtering out all addresses in  $\bar{S}$ . Given this construction, the two solutions,  $Z_{P0}(\bar{S})$  and  $Z_{P1}(BL)$  are guaranteed to have the same amount of bad traffic filtered out; moreover, since  $Z_{P0}(\bar{S})$  has the smallest amount of collateral damages, we have:  $Z_{P0}(\bar{S}) \leq Z_{P1}(BL)$ .

In conclusion, the technique discussed here represents a heuristic method for  $P_1$ . Only when an optimal subset  $S^*$  is somehow selected, this approach is as effective as Alg.3. However, since the complexity of this heuristic is lower-bounded by the complexity of complexity of Alg.2, which is asymptotically equal to the complexity of Alg.3, we conclude that, Alg.3 is a powerful method even compared to this heuristic.

#### C. FILTER-ALL-DYNAMIC

Let us consider a time-varying blacklist, meaning that a new instance of the blacklist is available in each time slot. By appropriately choosing the timeslot, we can assume w.l.o.g. that in each time slot, either one new bad address arrives, or an old bad address departs. The goal is similar to  $P_0$ : to filter out all bad addresses at minimum collateral damage in every time slot.

In the first time slot, we run the greedy algorithm FILTER-ALL-STATIC and we create a sorted list of collateral damage for filters of consecutive bad addresses. In subsequent time slots, we update the sorted list and our filtering choice by exploiting the greedy property. This is very efficient: it is basically sufficient to add/remove values from the sorted list, C, of collateral damages caused by filters of the type:  $[A_{b_i}, A_{b_{i+1}}]$  (consecutive bad addresses). The new address  $A_i$  is located between bad address  $A_{l_i}$  and  $A_{r_i}$ , such that  $A_{l_i} < A_i < A_{r_i}$ . A symmetric argument holds for an old bad address,  $A_i$ , that is removed from the blacklist,  $N \leftarrow N-1$ . The only difference in this case, is that we basically remove from C the two old values  $C_{l_i,i}$  and  $C_{i,r_i}$ , and add a single new value  $C_{l_i,r_i}$  in the correct position. The

notation C[k] indicate the k-th component of the vector C before the updating step was performed (i.e. before  $A_i$  was added/removed). OPT indicates the value of the optimal solution before the updating.

Algorithm 4 basically keeps the list sorted, and evaluates the value of the new optimal solution. The optimality of the new solution is based on the properties of  $P_0$ , described in previous section.

# Algorithm 4 FILTER-ALL-DYNAMIC, Greedy Algorithm

```
A new bad address, A_i, arrives: N \leftarrow N+1
 1: Let I_{l_i,r_i} be the position of C_{l_i,r_i} in the vector C,
i.e. C_{l_i,r_i} = C[I_{l_i,r_i}]

2: Remove C_{l_i,r_i} from the sorted vector C.

3: if I_{l_i,r_i} \leq N - F then

4: OPT = OPT - C_{l_i,r_i}
 5: end if
      Insert the two new values C_{l_i,i} and C_{i,r_i} in the correct position.
      Let, I_{l_i,i}, and I_{i,r_i} be their positions in C respectively. if \max\{I_{l_i,i},I_{r_i,i}\}\leq N-F then if I_{l_i,r_i}< N-F then
            \begin{aligned} & \text{if } I_{l_i,r_i} < N - F \text{ then} \\ & \text{OPT = OPT} + C_{l_i,i} + C_{r_i,i} - C[N - F] \end{aligned}
 9:
10:
                        \begin{split} I_{l_i,r_i} &= N-F \text{ then} \\ \text{OPT} &= \text{OPT} + C_{l_i,i} + C_{r_i,i} - C[N-F-1] \end{split}
11:
12:
13:
                        OPT = OPT + C_{l_i,i} + C_{r_i,i} - C[N-F] - C[N-F-1]
14:
15:
                   end if
16:
             end if
17: else
             \begin{array}{l} \text{if } \min\{I_{l_i,i},I_{r_i,i}\} \leq N-F \text{ then} \\ \text{if } I_{l_i,r_i} \leq N-F \text{ then} \\ \text{OPT = OPT } + \min\{C_{l_i,i},C_{r_i,i}\} \end{array}
18:
19:
20:
21:
                        OPT = OPT +\min\{C_{l_{i},i}, C_{r_{i},i}\} - C[N - F]
22:
23:
24.
             end if
25: end if
```

Handling batch arrivals/departures. If in one timeslot, several bad addresses arrive and/or depart together, then we can apply the above algorithm for each individual arrival and departure. As long as the number of entering and departing addresses remains smaller than N, the computational cost of updating the list remains smaller than the cost of re-running  $P_0$  from scratch for every instance. However, it is possible, that a more efficient variation may exist for batch arrivals/departures.

Clearly, the efficiency of Alg.4 depends on the characteristics of the time-varying blacklist, i.e. on how much blacklists change from one time slot to the next. One extreme case is that the blacklist never changes: then we run the greedy algorithm for  $P_0$  once. The other extreme is that the blacklist is always completely different from one time slot to the next; then we run the greedy algorithm for  $P_0$  for every instance. In practice, it is has been observed that there is temporal correlation in blacklists [8], which the Alg.4 should be able to exploit to make greedy decisions.

# D. FILTER-SOME-DYNAMIC

Similarly, we can design a time-varying version for  $P_1$  to leverage the temporal correlation between successive time instances of the blacklist and thus be computationally

more efficient than running Alg.3 form scratch on every instance of the blacklist. Below we only outline the main ideas.

Assume, that a new address is added to the blacklist. The key idea is that, given an optimal solution of  $P_1$ , any filter cannot be further extended without causing the objective function to increase or remain at the same value. When a new address,  $A_i$ , is added to the blacklist we can assume to temporarily place a filter on it, with associated coefficient equal to  $w_i$ . Then, we can extend it until there exist a possible extension (to the left, or to the right of the filter) which causes the coefficient associated with that filter (i.e. the sum of weights of good and bad addresses covered by the filter) to decrease, and thus possibly improve the objective function. When no further extensions are possible, we are in one of two possible situations: we have merged the newly created filter with an existing one, and in this case the algorithm stops; or we have created a new filter disjoint from all other filters. In the latter case we need to remove a filter. This is done by removing the filter with the smallest contribution to the objective function (it can be either the filter just created with this process or an existing one).

Similarly, when an address is removed from the blacklist we have two possible cases, depending on whether the address was filtered in the original solution or not. In the latter case, no modification is required. However, if the address removed from the blacklist was included is some filter, say  $R_{l_i,r_i}$ , we must ensure that the coefficient associated with  $R_{l_i,r_i}$  is still is the smallest among all unused filters in Ranges. Otherwise, the one which gives the smallest contribution must be added instead of  $R_{l_i,r_i}$ .

## IV. PERFORMANCE ANALYSIS

In Section III, we designed greedy algorithms and proved their optimality. However, the performance of each algorithm strongly depends on the number of available filters and also on the inherent characteristics of the input blacklist, namely the *density* and the degree of *clustering*. Clearly, the higher both of these metrics are, the better the tradeoff between collateral damage(false positives) and unfiltered bad addresses (false positives). E.g. a blacklist with N addresses spread at equal distances  $2^{32}/N$  apart is the worst case input; consecutive addresses is the best case, as they can be blocked with a single filter. The interesting question is then how do actual blacklists look like and how do our algorithms perform in practice.

There is a number of measurement papers that have studied the structure of addresses in IP traffic, both wanted [10] and unwanted [7]. With regards to the sources of unwanted traffic, which are of interest here, they all observed clustering in the sense that a few prefixes contain most of sources [7]–[9]. In particular Barford et al. [7] showed that sources of unwanted traffic exhibit multifractal behavior and provided a probabilistic model for generation of such addresses. This work built on and extended the work by Kohler et al. [10], which modeled the spatial distribution of destination IP addresses in

legitimate traffic, showed that they exhibit multifractal behavior and provided a deterministic Cantor-set model.

In our evaluation, we use the multi-fractal model from [10], which is an extreme case of the model in [7], to generate blacklists with realistic spatial distribution of sources in the IP address space. In particular, the following parameters of the model in [10] are of interest:

- 0 ≤ h ≤ 1 controls the fractal exponent and is set to h = 1/3, as in canonical Cantor dust.
- $0 \le m_0 \le 1$  controls the spatial variability/clustering, which is the crucial parameter in the filtering problem. We considered a range of  $m_0 \in \{0.65, 0.7, ...0.95\}$ , where higher  $m_0$  means higher clustering.

For computational reasons we considered 1/1000 of the entire address space  $(2^{32}/1000 \text{ addresses})$ . We varied the degree of clustering via the parameter  $m_0$ . Instead of using h, we varied the density d, i.e. the % of the total address space considered being bad, by varying the number of bad addresses N. We considered a low density (N=5000 bad) addresses leading to density d=0.001 and a high density d=0.1 scenario.  $F_{max}$  is set to 5000.

We generated several blacklists with different characteristics and simulated the algorithms for the static case, namely FILTER-ALL-STATIC, FILTER-SOME-STATIC. We are interested in several performance metrics: (i) the collateral damage or "CD" (or false positives) and (ii) the number of unfiltered IPs (false negatives) (iii) number of filters F used. Below are the results.

#### A. Performance of FILTER-ALL-STATIC

In Fig.3, we consider input blacklists with varying degrees of clustering, for both low and high density of bad addresses.

In Fig.3(a), we show the performance of FILTER-ALL-STATIC for a blacklist with low density d=0.001. We see that for higher degree of clustering (i.e. higher  $m_0$ ), the algorithm performs better. Moreover, we observe that higher gains are obtained when a small amount of collateral damage is allowed ( $\frac{CD}{N} \simeq 1$ ). When the collateral damage is high, all solutions use a very low number of filters ( $F \in [1,10]$ ), and there is no substantial difference in terms of collateral damage. When collateral damage is low ( $\frac{CD}{N} \ll 1$ ),  $m_0$  does not have a significant effect either. This is due to the way bad IPs are distributed in the address space and also due to the requirement to cover all bad IPs. Indeed, in the case of a low density, regardless of the degree of clustering degree, there will always be some isolated IPs located "far away" from the main bulk of bad IPs; covering those addresses causes a large portion of the good address space to be filtered.

The horizontal line shows the point where the ratio between collateral damage and filtered IPs is  $\frac{CD}{N}=1$ . At the top right of Fig.3(a), we also show the worst case input blacklists: equally spaced source IPs is the worst case deterministic input, and uniformly distributed IPs is the worst probabilistic input. When the number of filters




Fig. 3. Performance of FILTER-ALL-STATIC  $(P_0)$  for blacklists with various densities and degrees of clustering

F takes extremes values ( $F=1,\,F=N$ ), the 2 curves basically coincide. In all other cases, as expected, the uniform distribution outperforms the deterministic case: the algorithm finds some bad addresses that are closer than other and merges them together thus limiting the collateral damage compared to the deterministic case.

In Fig.3(b), we consider a high density blacklist (d=0.1) for various degrees of clustering. Comparing this figure to the previous, we observe the following. On one hand, the number of filters required to block all bad IPs without collateral damage is still quite high. On the other hand, contrary to the low density case, as the number of available filters decreases the collateral damage remains limited. In fact, it is always possible to construct a solution that covers all bad IPs keeping the ratio low  $\frac{CD}{N} \simeq 1$ .

# B. Performance of FILTER-SOME-STATIC

Next, we analyze the performance of FILTER-SOME-STATIC as the number of filters varies. We assign the same weight, W<0 to bad addresses and the same weight W=1 to all good addresses; we then vary W. In this simple case, W represents the relative weight of bad addresses with respect to good addresses. Thus, by varying W we tune the trade-off between the bad IPs filtered and the collateral damage: the higher W, the higher the number of bad IPs filtered at the expense of higher collateral damage; and vice versa.




Fig. 4. Performance of FILTER-SOME-STATIC (P1) for a blacklists with medium degree of clustering ( $m_0 = 0.75$ ). Varying the weight W controls the tradeoff between (collateral damage) and (number of filtered bad addresses). Both these numbers are normalized with respect to the total number of bad addresses (N).

Similarly to what we did before, we analyze the performance of FILTER-SOME-STATIC both in the case of low (d = 0.001) and high density (d = 0.001). In the case of low density, Fig.4(a), we see that we can cover most of the IPs at low cost; but in order to cover the last IPs, we pay higher collateral damage. More precisely, depending on the number of available filters, we can cover from 70% up to 100% of the bad IPs while keeping the ratio  $\frac{CD}{N}$ within one order of magnitude. However, if the number of filters is small, there is an exponential increase in the collateral damage to cover the remaining 20% of bad IPs. In practical scenarios, where the number of filters is not enough to cover all bad IPs, this further motivates the investigation of solutions that provide a good balance between the number of bad and good IPs filtered. In some cases, we may tolerate to block, for instance, up to 80% of unwanted traffic and to incur CD which is linear with N; in other cases, we may want to provide a higher protection from possible attacks at the expense of an exponential increase of the collateral damages. With the framework introduced here, all these different solutions can be simply obtained, by tuning W. Therefore, W is the control available to the network operator that offers flexibility in the quality of services they may want to provide.

We would also like to point out that, while in this section we presented the results using only two different constant weights, one for good and one for bad addresses, within the same framework it is also possible to assign different weights to a single IP or a group of IPs, to allow for finer control. For instance, by assigning weights equal to  $(-\infty)$ , or  $(+\infty)$  to a specific group of IPs, we can force the algorithm to always filter (or not filter) those addresses.

In scenarios with a higher density of bad IPs, results achieved by FILTER-SOME-STATIC are quite different. The ratio  $\frac{CD}{N}$  is significantly lower ( $\leq$  2) than in the low density case ( $\leq$  70). There is an increase in the amount of collateral damage only to cover the last 5-10% of IPs; even covering this last part of the BL, the collateral damage remains quite low in all cases.

# C. FILTER-ALL-DYNAMIC and FILTER-SOME-DYNAMIC

The model introduced in [10], [7] is appropriate for the spatial distribution of source IPs of unwanted traffic. However, in a practical deployment the temporal behavior, i.e. how bad addresses appear, disappear, and re-appear in the blacklist, will also affect the performance of a filtering system. In same cases, a new IP appearing in the BL may be located in a region of the address space which is already blocked; in these cases, there is no need to re-evaluate a new set of filter rules, since the old one already provides an optimal solution. In other cases, it may be useful to recompute a new solution. FILTER-ALL-DYNAMIC and FILTER-SOME-DYNAMIC aim to tackle these later cases by rapidly providing an adaptation of the existing filtering rules to the new input BL at a much lower computational cost than running from scratch FILTER-ALL-STATIC and FILTER-SIME-STATIC for each instance from scratch.

Recent experimental evidence [8] and our own experience indicate that there is often temporal correlation in blacklists. One intuitive explanation may be that poorly administered networks are more likely to be infected for a period of time thus leading to temporal predictiveness of BLs and potentially of our filtering rules. As part of future work, we plan to evaluate the effectiveness of the dynamic algorithms using real time-varying blacklists [4], [5].

#### V. SUMMARY AND FUTURE WORK

In this paper, we designed optimal greedy algorithms that construct compact filtering rules to block IP address ranges given a blacklist. We are currently exploring several directions for future work. First, we are interested in extending our algorithms to be prefix-aware, in the sense that the ranges/filters will be aligned with prefixes/masks that can be directly specified by ACLs. Second, we are in the process of applying our algorithms to publicly available blacklists [4] and Dshield data [5]. Finally, we are interested in using the filtering algorithms as a building block of a bigger system that effectively protects a network from unwanted traffic.

#### REFERENCES

- G. Pack, J. Yoon, E. Collins, C. Estan, "On Filtering of DDoS Attacks Based on Source Address Prefixes," in Proc. of SecureComm, Aug.2006.
- [2] K. Argyraki and D.R.Cheriton, "Active Internet Traffic Filtering: Real-time Response to Denial-of-service Attacks", in Proc. of USENIX Security 2005.
- [3] P. Verkaik, O. Spatscheck, J. van der Merwe and A. Snoeren, "PRIMED: A Community-of-Interest-Based DDoS Mitigation System," in SIGCOMM Workshop on Large Scale Attack Defense (LSAD), Sept. 2006
- [4] The Spamhaus Project, XBL, http://http://www.spamhaus.org/xbl/
- [5] Dshield http://www.dshield.org/
- [6] SRI International, "The highly predictive blacklist service," http://www.cyber-ta.org/releases/HPB/
- [7] P.Barford, R.Nowak, R. Willett Rebecca, V. Yegneswaran, "Toward a Model for Sources of Internet Background Radiation," in Proc. of the Passive and Active Measurement Conference (PAM '06), March, 2006.
- [8] M. P. Collins, S. Faber, J. Janies, R. Weaver, M. De Shon, "Using Uncleanliness to Predict Future Botnet Addresses," in Proc. of ACm IMC 2007, San Diego, CA, Oct. 2007.
- [9] Z. Chen and C. Ji, "Measuring Network-Aware Worm Spreading Ability," in Proc. of IEEE INFOCOM 2007.
- [10] E. Kohler, J. Li, V. Paxson, and S. Shenker, "Observed structure of addresses in IP traffic," in IEEE/ACM Transactions on Networking 14(6), Dec. 2006, pp. 1207-1218.
- [11] K. El Defrawy, A. Markopoulou, and K. Argyraki, "Optimal Allocation of Filters against DDoS Attacks,", in ITA Workshop, San Diego, CA, Jan. 2007.